



Para-Xylene

#	Property	Units	Test Method	Value
1	Para-Xylene	Wt%	ASTM D-3798	99.7 min
2	Non-Aromatics	Wt%	ASTM D-3798	0.01 max
3	Benzene+Toluene	Wt%	ASTM D-3798	0.01 max
4	Ethyl Benzene	Wt%	ASTM D-3798	0.13 max
5	Ortho-Xylene	Wt%	ASTM D-3798	0.05 max
6	Mixed-Xylene	Wt%	ASTM D-3798	0.1 max
7	Total Sulphur	Ppm	ASTM D-4045	1.0 max
8	Total Chloride	Ppm	ASTM D-4929	1.0 max
9	Acid wash color	---	ASTM D-848	1.0 max
10	So ₂ /H ₂ S content	---	ASTM D-853	Free of So ₂ /H ₂ S
11	Distillation range	Centigrade	ASTM D-850	1.0 max
12	Color (pt-Co) scale	---	ASTM D-1209	10.0 max
13	Sp-Gr	---	ASTM D-3505	0.858-875
14	Appearance	---	Visual	Clear

Shipping : Bulk carrier

Licensour: Axens , uhde, sinopec