



#	Property	Units	Test Method	Value
1	Ethylene	Vol%	Lindeinstr.553	99.95 min
2	Hydrogen	Vol.ppm	ASTM D-1946	5 max
3	Methane+Ethane	Vol.ppm	Lindeinstr.553	500 max
4	Acetylene	Vol.ppm	Lindeinstr.553	1 max
5	Propylene+Higher	Vol.ppm	Lindeinstr.553	10 max
6	Carbon Monoxide	Vol.ppm	ISO 6381	0.2 max
7	Carbon Di Oxide	Vol.ppm	ISO 6381	1 max
8	Oxygen	Vol.ppm	Oxygen Analyzer (Teledine)	1 max
9	Water	Vol.ppm	H <sub>2</sub> O analyser (show dew point meter)	1 max
10	Sulphur as H <sub>2</sub> S	Vol.ppm	ASTM E-840	1 max
11	Methanol	Vol.ppm	Lindeinstr.535	1 max
12	Oxygenated Organics	Vol.ppm	Lindeinstr.535	1 max
13	Carbonyl Sulphide	Vol.ppm	ASTM D-6228	0.1 max

Shipping : Bulk carrier Licensore :linde

#	Property	Units	Test Method	Value
1	Ethylene	Vol%	Lindeinstr.553	99.95 min
2	Hydrogen	Vol.ppm	ASTM D-1946	5 max
3	Methane+Ethane	Vol.ppm	Lindeinstr.553	500 max
4	Acetylene	Vol.ppm	Lindeinstr.553	1 max
5	Propylene+Higher	Vol.ppm	Lindeinstr.553	10 max
6	Carbon Monoxide	Vol.ppm	ISO 6381	0.2 max
7	Carbon Di Oxide	Vol.ppm	ISO 6381	1 max
8	Oxygen	Vol.ppm	Oxygen Analyzer (Teledine)	1 max
9	Water	Vol.ppm	H <sub>2</sub> O analyser (show dew point meter)	1 max
10	Sulphur as H <sub>2</sub> S	Vol.ppm	ASTM E-840	1 max
11	Methanol	Vol.ppm	Lindeinstr.535	1 max
12	Oxygenated Organics	Vol.ppm	Lindeinstr.535	1 max
13	Carbonyl Sulphide	Vol.ppm	ASTM D-6228	0.1 max

Shipping : Bulk Carrier