



#	Property	Units	Test Method	Value
1	Propylene	vol%	Lindeinstr.553	99.8 min
2	Propane & Heavier	vol%	Lindeinstr.553	Balance
3	Methane	vol.ppm	Lindeinstr.553	10 max
4	Ethane	vol.ppm	Lindeinstr.553	20 max
5	Hydrogen	vol.ppm	ASTM D-1996	5 max
6	Ethylene	vol.ppm	Lindeinstr.553	1 max
7	Acetylene	vol.ppm	Lindeinstr.553	1 max
8	C4 HC	vol.ppm	Lindeinstr.553	1 max
9	Methyl acetylene	vol.ppm	Lindeinstr.553	1 max
10	Propadiene	vol.ppm	Lindeinstr.553	2 max
11	Carbonyl monoxide	vol.ppm	ISO6381	0.2 max
12	Carbonyl di oxide	vol.ppm	ISO6381	2 max
13	Water	vol.ppm	H <sub>2</sub> O analyzer (show dew point meter)	5 max
14	Total sulphur	vol.ppm	ASTM E 840	2 max
15	Methanol+Ketones	vol.ppm	Lindeinstr.553	5 max
#	Property	Units	Test Method	Value
1	Purity	Mol%	G.C	92 min
2	Paraffin	Mol%	G.C	8 max

Shipping : Bulk carrier Licensore: Linde



Shipping : Bulk Carrier Shipping : Bulk  
Carrier Shipping : Barrel & Bulk Carrier

#	Property	Units	Test Method	Value
1	Propylene	vol%	Lindeinstr.553	99.8 min
2	Propane & Heavier	vol%	Lindeinstr.553	Balance
3	Methane	vol.ppm	Lindeinstr.553	10 max
4	Ethane	vol.ppm	Lindeinstr.553	20 max
5	Hydrogen	vol.ppm	ASTM D-1996	5 max
6	Ethylene	vol.ppm	Lindeinstr.553	1 max
7	Acetylene	vol.ppm	Lindeinstr.553	1 max
8	C4 HC	vol.ppm	Lindeinstr.553	1 max
9	Methyl acetylene	vol.ppm	Lindeinstr.553	1 max
10	Propadiene	vol.ppm	Lindeinstr.553	2 max
11	Carbonyl monoxide	vol.ppm	ISO6381	0.2 max
12	Carbonyl di oxide	vol.ppm	ISO6381	2 max
13	Water	vol.ppm	H <sub>2</sub> O analyzer (show dew point meter)	5 max
14	Total sulphur	vol.ppm	ASTM E 840	2 max
15	Methanol+Ketones	vol.ppm	Lindeinstr.553	5 max
#	Property	Units	Test Method	Value
1	Purity	Mol%	G.C	92 min
2	Paraffin	Mol%	G.C	8 max
3	Ethylene	Mol.ppm	G.C	10 max
4	Acetylene	Mol.ppm	G.C	1 max



#	Property	Units	Test Method	Value
1	Propylene	vol%	Lindeinstr.553	99.8 min
2	Propane & Heavier	vol%	Lindeinstr.553	Balance
3	Methane	vol.ppm	Lindeinstr.553	10 max
4	Ethane	vol.ppm	Lindeinstr.553	20 max
5	Hydrogen	vol.ppm	ASTM D-1996	5 max
6	Ethylene	vol.ppm	Lindeinstr.553	1 max
7	Acetylene	vol.ppm	Lindeinstr.553	1 max
8	C4 HC	vol.ppm	Lindeinstr.553	1 max
9	Methyl acetylene	vol.ppm	Lindeinstr.553	1 max
10	Propadiene	vol.ppm	Lindeinstr.553	2 max
11	Carbonyl monoxide	vol.ppm	ISO6381	0.2 max
12	Carbonyl di oxide	vol.ppm	ISO6381	2 max
13	Water	vol.ppm	H <sub>2</sub> O analyzer (show dew point meter)	5 max
14	Total sulphur	vol.ppm	ASTM E 840	2 max
15	Methanol+Ketones	vol.ppm	Lindeinstr.553	5 max
#	Property	Units	Test Method	Value
1	Purity	Mol%	G.C	92 min
2	Paraffin	Mol%	G.C	8 max
3	Ethylene	Mol.ppm	G.C	10 max



#	Property	Units	Test Method	Value
1	Propylene	vol%	Lindeinstr.553	99.8 min
2	Propane & Heavier	vol%	Lindeinstr.553	Balance
3	Methane	vol.ppm	Lindeinstr.553	10 max
4	Ethane	vol.ppm	Lindeinstr.553	20 max
5	Hydrogen	vol.ppm	ASTM D-1996	5 max
6	Ethylene	vol.ppm	Lindeinstr.553	1 max
7	Acetylene	vol.ppm	Lindeinstr.553	1 max
8	C4 HC	vol.ppm	Lindeinstr.553	1 max
9	Methyl acetylene	vol.ppm	Lindeinstr.553	1 max
10	Propadiene	vol.ppm	Lindeinstr.553	2 max
11	Carbonyl monoxide	vol.ppm	ISO6381	0.2 max
12	Carbonyl di oxide	vol.ppm	ISO6381	2 max
13	Water	vol.ppm	H <sub>2</sub> O analyzer (show dew point meter)	5 max